

# SAFETY DATA SHEET

# **ROCKITE (ROC 10 & ROC 50)**

#### **SECTION 1: IDENTIFICATION**

Product Name ROCKITE (ROC 10 & ROC 50)

Description CEMENT

Identifier Uses No specific uses identified

Supplier UCAN Fastening Products

Toronto (GTA), Ontario,

Canada

Contact Person Balwant K. Arjune | (416) 631-9400 Ext. 252

Emergency Telephone CHEMTREC 1-800-424-9300 | 1-703-527-3887 (24 hr. Emergency)

## **SECTION 2: HAZARDS IDENTIFICATION**

Appearance Powder.

Color White, Off-white, Gray or pigmented.

Low Odor.

Pictogram(s)

Odor



Signal Word Warning

Hazard Statements H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

**Precautionary Statements** P280 Wear protective gloves/ protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P264 Wash thoroughly after handling.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor/physician

P270 Do not eat ,drink or smoke when using this product. rash occurs. P272 Contaminated work clothing should not be allowed out of the

workplace.

Contains Cement, Portland, chemicals

**GHS Classification** 

Physical and Chemical Hazards Not classified

Human Health Skin Irrit.3 - H316, Eye Irrit.2A - H315, Skin. Sens 1 B- H317, STOT SE 3 - H335
Environment Not classified

OSHA Regulatory Status This product is Hazardous under the OSHA Hazard communication Standard.

**Inhalation** Irritating to mucus membranes and respiratorytract.

Ingestion May cause discomfort if swallowed.

**Skin contact** Skin irritation. May cause allergic reactions. Do not allow product to harden around any

body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.

Eye contact Serious eye irritation. May cause redness, swelling, pain and tearing.

**Routes of Exposure** 

No Information available.

#### SECTION 3: Composition/Information on Ingredients

Mixtures	Product Identifier	GHS Classification	%
Cement, Portland, Chemicals	CAS-No.: 65997-15-1 EC No.: 266-043-4	Skin Irrit.2 - H315, Skin. Sens 1 B- H317, Eye Dam. 1 - H318, STOT SE 3 - H335	2 %
Calcium Sulfate Hemihydrate	CAS-No.: 26499-65-0 EC No.:	Skin. Sens 1 - H317, Skin Corr. 1C - H314	98 %
Impurities			
Crystalline Silica (Quartz)	CAS-No.: 14808-60-7		Trace

#### **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Information General first aid, rest, warmth and fresh air.

**Inhalation** If this product is Inhaled, move the exposed person to freshair promptly.

**Ingestion** If this product is ingested, give the exposed large amount of water and seek medical

attention promptly. Do not induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

the skin immediately with soap and water. Get medical attention promptly if symptoms occur

after washing.

**Eye contact** Do not rub eye. If the product contacts the eyes, immediately flush eyes with plenty of clean

running water for at least fifteen (15) minutes, lifting the upper and lower eyelids

occasionally. Remove contact lenses if worn.

Most important symptoms and effects, both acute and delayed

**General Information** The severity of the symptoms described will vary dependant of the concentration and the

length of exposure.

**Inhalation** Irritating to mucus membranes and respiratorytract.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Skin irritation. May cause allergic reactions. Do not allow product to harden around any

body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.

Eye contact Serious eye irritation. May cause redness, swelling, pain and tearing.

Routes of Exposure No Information available.

Most important symptoms and effects, both acute and delayed

Notes To The Physician Treat Symptomatically.

# **SECTION 5: Firefighting Measures**

Auto Ignition Temperature (°C)
Flammability Limit-Lower(%)
Flammability Limit-Upper(%)
Flashpoint

No Information available. No Information available. No Information available. No Information available.

Extinguishing Media

Use fire-extinguishing media appropriate for surrounding materials.

Hazardous combustion products

During fire, gases hazardous to health may be formed. Hazardous combustion may result in

but it not limited to the release of oxides of calcium and sulfur.

Unusual Fire & Explosion Hazards Special Fire Fighting Procedures

 $\label{thm:condition} \textbf{Avoid breathing fire vapours.} \textbf{Ventilate closed spaces before entering them. Water spray}$ 

should be used to cool containers.

Protective equipment for fire-

fighters

Fire fighters should wear full protective equipment, including a NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other  $\frac{1}{2}$ 

positive pressure mode.

# **SECTION 6: Accidental Release Measures**

Personal Precautions Use personal protection recommended in Section 8. Keep people away from and upwind of

spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to

dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation.

Environmental Precautions Spill Clean Up Methods Discharge into the environment must be avoided.

Safely stop source of spill. Clean up spills immediately. Restrict non-essential personnel from the area. Wear protective clothing, goggles and respirator if ventilation is not adequate. Sweep up spilled material and place into container for reuse or disposal. Dispose of waste in accordance with local, state or federal regulations. Use vacuum or wet mop to clean up dust. Flush spill area with water. Wash thoroughly after dealing with a spillage.

## **SECTION 7: Handling and Storage**

Handling Use under well-ventilated conditions. Avoid prolonged or repeated contact. Wash thoroughly

after handling.Rinse container before disposal.Do not use contact lenses.Eliminate all sources of ignition.Use proper personal protection when handling (refer to Section 8).

**Usage Description** Use only according to directions.

Storage Precautions Store in original tightly closed container. Store in a well-ventilated place. Store in a covered,

dry, climate controlled area, away from incompatibles. Keep away from Acids. Phosphorus.

Diazomethane. Aluminum (at high temperatures.)

**Specific End Use(s)** For further information, please contact supplier.

### SECTION 8: Exposure Controls/Personal Protection

#### Protective Equipment





Component	STD	TWA (	(8 Hrs)	STEL (	15mins)	Notes
calcium sulfate	OSHA		15mg/m3			Total Dust.
Cement, portland, chemicals	OSHA	50ppm	15mg/m3			

Ingredient Comments OSHA

**Process Conditions** Provide eyewash, quick drench.

Engineering Measures Provide adequate ventilation, including appropriate local extraction, to ensure that the

defined occupational exposure limit is not exceeded.

**Respiratory Equipment** A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated

areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard

for respiratory protection (Z88.2).

Hand ProtectionWhen handling this product, it is recommended to wear chemical resistant gloves.Eye ProtectionWear safety glasses with side shields (or goggles). Ensure compliance with OSHA's PPE

standard (29 CFR 1910.132 and .133) for eye and face protection.

Hygiene Measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or

smoke.

## **SECTION 9: Physical and Chemical Properties**

#### Information on Basic Physical and Chemical Properties

Appearance Powder.

Color White, Off-white, Gray or pigmented.

Odor Low Odor.

Odor Threshold - Lower No Information available.

Odor Threshold - Upper No Information available.

pH-Value, Conc. Solution 9.5

Melting point 2642.0 °F

Initial boiling point and boiling

range

No Information available.

Flashpoint No Information available.

**Evaporation rate** No Information available.

Flammability State No Information available.

Flammability Limit- Lower(%) No Information available.

Flammability Limit - Upper(%) No Information available.

Vapour pressure No Information available.

Vapour Density (air=1) No Information available.

Relative density 2.7 g/cm3 @ 0.0

Bulk Density No Information available.

Solubility Slightly.

**Decompositiontemperature** No Information available.

Partition coefficient; n-octanol/water Not known.

Auto Ignition Temperature (°C) No Information available.

Viscosity Technically not feasible.

**Explosive Properties** No information available.

Oxidising properties No Information available.

Molecular Weight No Information available.

Volatile Organic Compound No Information available.

# SECTION 10: Stability and Reactivity

**Reactivity** Reaction with water.

**Stability** This product is stable at ambient temperatures and atmospheric pressures.

Hazardous Polymerisation Hazardous polymerization is not expected to occur under normal temperatures and

pressures.

Hazardous Decomposition Products Hazardous decomposition products may include calcium oxide and sulfur dioxide.

Conditions to Avoid Heat, sparks, flames and other sources of ignition, moisture

Materials to Avoid Incompatible materials include the following: Acids, Phosphorus, Diazomethane and Aluminum

(at high temperatures)

## **SECTION 11: Toxicological Information**

**Toxicological Information** Prolonged inhalation may be harmful. Inhalation of dusts may cause respiratory irritation.

Acute Toxicity (Oral LD50)

Acute Toxicity (Dermal LD50)

Acute Toxicity (Inhalation LC50)

No Information available.

No Information available.

Skin Corrosion/Irritation No Information available.

Respiratory Sensitisation

Skin Sensitisation

No Information available.

No Information available.

No Information available.

Germ Cell Mutagenicity: Genotoxicity - In Vitro Genotoxicity - In Vivo

Carcinogenicity:

Carcinogenicity No Information available.

NTP - Carcinogenicity The product and its components are not listed.

OSHA - Carcinogenicity The product and its components are not listed.

IARC Carcinogenicity The product and its components are not listed.

Specific Target Organ Toxicity - Single Exposure:

STOT - Single Exposure No Information available.

Specific Target Organ Toxicity - Repeated Exposure:

STOT - Repeated Exposure No Information available.

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
calcium sulfate	>1581mg/kg Rat		

#### **SECTION 12: Ecological Information**

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude

the possibility that large or frequent spills can have a harmful or damaging effect on the

environment.

Acute Toxicity - Fish No Information available.

Acute Toxicity - Aquatic No Information available.

Invertebrates

Acute Toxicity - Aquatic Plants No Information available.

Degradability

**Bioaccumulative Potential** 

Mobility No information available

Results of PBT and vPvB Assessment No information available.

Other Adverse Effects No information available.

Name	Acute Toxicity (Fish)	Acute Toxicity (Aquatic Invertebrates)	Acute Toxicity (Aquatic Plants)
calcium sulfate LC50 96 Hours 2980.00mg/l			

#### **SECTION 13: Disposal Considerations**

Waste Management When handling waste, consideration should be made to the safety precautions applying to

handling of the product.

**Disposal Methods**Under RCRA, it is the responsibility of the user of the product to determine, at the time of

disposal, whether the product meets RCRA criteria for hazardous waste. Empty containers or liners may retain some product residues. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product

residue, follow label warnings even after container is emptied.

#### **SECTION 14: Transport Information**

UN No. (DOT/TDG) Not applicable.

UN No. (IMDG) Not applicable.

UN No. (ICAO) Not applicable.

**DOT Proper Shipping Name** Not applicable.

TDG Proper Shipping Name Not applicable.

DOT Hazard Class Not applicable.

DOT Hazard Label Not applicable.

TDG Class Not applicable.

TDG Label(s) Not applicable.

IMDG Class Not applicable.

ICAO Class Not applicable.

**Transport Labels** 

**DOT Pack Group** Not applicable.

IMDG Pack Group Not applicable.

Air Pack Group Not applicable.

EMS Not applicable.

Environmentally Hazardous Substance/Marine Pollutant

No

#### **SECTION 15: Regulatory Information**

# US Federal Regulations

### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

The Following ingredients are listed None Listed.

# CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The Following ingredients are listed None Listed.

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

The Following ingredients are listed None Listed.

## SARA 313 Emission Reporting

The Following ingredients are listed None Listed.

#### **CAA Accidental Release Prevention**

The Following ingredients are listed None Listed.

#### OSHA Highly Hazardous Chemicals

The Following ingredients are listed None Listed.

#### **US State Regulations**

## California Proposition 65 Carcinogens and Reproductive Toxins

The Following ingredients are listed None Listed.

#### California Air Toxics "Hot Spots" (A-I)

The Following ingredients are listed None Listed.

## California Air Toxics "Hot Spots" (A-Ii)

The Following ingredients are listed None Listed.

#### Massachusetts "Right To Know" List

calcium sulfate

The Following ingredients are listed Cement, portland, chemicals

Rhode Island "Right To Know"

List

The Following ingredients are listed

calcium sulfate

None Listed.

Minnesota "Right To Know" List The Following ingredients are listed

Cement, portland, chemicals

calcium sulfate

New Jersey "Right To Know" List The Following ingredients are listed

Cement, portland, chemicals

calcium sulfate

Pennsylvania "Right To Know" List The Following ingredients are listed

Cement, portland, chemicals


## International Inventories

#### TSCA:


All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

## **SECTION 16: Other Information**

# NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)



# HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)



Revision Comments

Revision Date 02/15/2023 Revision 4

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.